

MIDUS Refresher Sample Means and SD's for BTACT Cognitive Tests

Prepared by S. Agrigoroaei, Y. Liu, & M. Lachman, Brandeis University

1.16.18

The MIDUS Refresher sample was recruited between 2011 and 2014 to replenish the original MIDUS cohort. An additional 3,577 adults who ranged in age from 23 to 76 were recruited into the Refresher sample. As with the previous waves of MIDUS, the BTACT was administered in a separate telephone interview with a completion rate of 71.3% ($N = 2,550$). The Refresher cognitive sample had a mean age of 52.60 ($SD = 14.17$) and a mean education of 14.99 years ($SD = 2.54$). The sample was made up of 52.2% women and had a mean self-rated health of 3.55 ($SD = 1.07$).

1.16.18

Prepared by S. Agrigoroaei, Y. Liu, & M. Lachman, Brandeis University

MIDUS Refresher Sample Means and SD's for BTACT Cognitive Tests

Measure	Sex	Education	Age Decade																				
			20s			30s			40s			50s			60s			70s			Overall		
			M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N
Word List Immediate	Men	Less than BA	6.63	1.85	30	7.23	1.92	86	6.75	1.95	96	6.06	1.93	120	6.18	2.15	127	5.14	1.67	70	6.32	2.04	529
		BA or higher	7.91	2.45	22	7.95	1.85	111	7.82	1.84	113	7.20	2.15	95	6.54	1.99	167	6.29	2.03	77	7.18	2.08	585
		Total	7.17	2.19	52	7.63	1.91	197	7.33	1.96	209	6.56	2.10	215	6.39	2.06	294	5.74	1.95	147	6.77	2.11	1114
	Women	Less than BA	7.43	2.23	23	7.72	2.41	83	7.46	2.21	99	7.53	2.07	160	7.25	2.17	134	6.49	1.99	110	7.29	2.18	609
		BA or higher	8.59	2.21	32	8.41	2.22	117	8.43	2.22	127	8.16	2.18	103	7.95	2.34	139	7.98	2.14	55	8.23	2.24	573
		Total	8.11	2.27	55	8.13	2.32	200	8.00	2.26	226	7.77	2.13	263	7.61	2.28	273	6.99	2.15	165	7.74	2.26	1182
	Total	Less than BA	6.98	2.04	53	7.47	2.18	169	7.11	2.11	195	6.90	2.13	280	6.73	2.22	261	5.97	1.98	180	6.84	2.17	1138
		2 BA or higher	8.31	2.31	54	8.18	2.05	228	8.14	2.07	240	7.70	2.21	198	7.18	2.26	306	6.99	2.23	132	7.70	2.22	1158
		Total	7.65	2.27	107	7.88	2.14	397	7.68	2.14	435	7.23	2.20	478	6.98	2.25	567	6.40	2.15	312	7.27	2.24	2296
Word List Delayed	Men	Less than BA	4.43	2.40	30	4.77	2.21	86	4.30	2.19	96	3.36	1.90	120	3.65	2.38	127	2.31	1.95	70	3.75	2.28	529
		BA or higher	5.64	1.89	22	5.68	2.14	111	5.18	2.33	113	4.46	2.05	95	3.73	2.03	167	3.74	2.34	77	4.57	2.29	585
		Total	4.94	2.26	52	5.28	2.21	197	4.78	2.31	209	3.85	2.04	215	3.70	2.19	294	3.06	2.27	147	4.18	2.32	1114
	Women	Less than BA	5.65	2.29	23	5.81	2.90	83	5.39	2.35	99	5.23	2.69	160	4.83	2.43	134	4.13	2.37	110	5.06	2.58	609
		BA or higher	6.81	2.96	32	6.38	2.47	117	6.34	2.48	127	5.82	2.60	103	5.54	2.84	139	5.40	2.55	55	5.99	2.65	573
		Total	6.33	2.74	55	6.14	2.66	200	5.92	2.46	226	5.46	2.66	263	5.19	2.67	273	4.55	2.49	165	5.52	2.65	1182
	Total	Less than BA	4.96	2.41	53	5.28	2.61	169	4.86	2.33	195	4.43	2.55	280	4.26	2.47	261	3.42	2.38	180	4.45	2.53	1138
		BA or higher	6.33	2.62	54	6.04	2.33	228	5.79	2.47	240	5.17	2.44	198	4.55	2.59	306	4.43	2.56	132	5.28	2.57	1158
		Total	5.65	2.60	107	5.71	2.48	397	5.37	2.45	435	4.73	2.53	478	4.42	2.54	567	3.85	2.50	312	4.87	2.58	2296

MIDUS Refresher Sample Means and SD's for BTACT Cognitive Tests (continued)

Measure	Sex	Education	Age Decade																				
			20s			30s			40s			50s			60s			70s			Overall		
			M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N
Backward Digit Span	Men	Less than BA	5.17	1.51	30	5.21	1.51	86	4.85	1.44	96	4.61	1.45	120	4.73	1.31	127	4.34	1.33	70	4.78	1.43	529
		BA or higher	5.95	1.53	22	5.93	1.40	111	5.55	1.46	113	5.09	1.39	95	5.19	1.45	167	5.14	1.26	77	5.41	1.45	585
		Total	5.50	1.55	52	5.61	1.49	197	5.23	1.49	209	4.82	1.44	215	4.99	1.41	294	4.76	1.35	147	5.11	1.47	1114
	Women	Less than BA	4.70	1.55	23	5.25	1.58	83	5.02	1.41	99	4.89	1.47	160	4.91	1.38	134	4.65	1.44	110	4.91	1.46	609
		BA or higher	5.84	1.32	32	5.76	1.26	117	5.50	1.48	127	5.48	1.48	103	5.45	1.52	139	5.25	1.57	55	5.53	1.45	573
		Total	5.36	1.52	55	5.55	1.42	200	5.29	1.47	226	5.12	1.50	263	5.18	1.47	273	4.85	1.50	165	5.21	1.49	1182
	Total	Less than BA	4.96	1.53	53	5.23	1.54	169	4.94	1.42	195	4.77	1.46	280	4.82	1.35	261	4.53	1.40	180	4.85	1.45	1138
		BA or higher	5.89	1.40	54	5.84	1.33	228	5.53	1.47	240	5.29	1.45	198	5.30	1.49	306	5.19	1.39	132	5.47	1.45	1158
		Total	5.43	1.53	107	5.58	1.46	397	5.26	1.48	435	4.99	1.48	478	5.08	1.44	567	4.81	1.43	312	5.16	1.48	2296
Category Fluency	Men	Less than BA	20.70	6.87	30	20.30	5.97	86	19.72	5.94	96	18.40	5.24	120	19.07	5.43	127	16.80	5.67	70	19.03	5.78	529
		BA or higher	25.82	6.91	22	25.02	6.10	111	23.50	6.37	113	21.83	6.18	95	21.46	6.28	167	18.12	5.73	77	22.31	6.54	585
		Total	22.87	7.28	52	22.96	6.47	197	21.76	6.44	209	19.92	5.91	215	20.43	6.04	294	17.49	5.72	147	20.75	6.40	1114
	Women	Less than BA	18.74	5.77	23	20.35	5.98	83	19.97	5.67	99	18.73	5.70	160	17.98	5.57	134	16.57	4.85	110	18.60	5.68	609
		BA or higher	22.53	5.76	32	23.32	5.71	117	23.74	5.75	127	22.87	6.52	103	21.29	5.39	139	20.62	5.03	55	22.54	5.82	573
		Total	20.95	6.01	55	22.09	5.99	200	22.09	6.01	226	20.35	6.35	263	19.66	5.71	273	17.92	5.26	165	20.51	6.07	1182
	Total	Less than BA	19.85	6.43	53	20.33	5.96	169	19.85	5.79	195	18.59	5.50	280	18.51	5.52	261	16.66	5.17	180	18.80	5.73	1138
		BA or higher	23.87	6.40	54	24.14	5.95	228	23.63	6.04	240	22.37	6.36	198	21.38	5.88	306	19.16	5.57	132	22.42	6.19	1158
		Total	21.88	6.70	107	22.52	6.24	397	21.93	6.21	435	20.15	6.15	478	20.06	5.89	567	17.72	5.48	312	20.63	6.24	2296

MIDUS Refresher Sample Means and SD's for BTACT Cognitive Tests (continued)

Measure	Sex	Education	Age Decade																				
			20s			30s			40s			50s			60s			70s			Overall		
			M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N
Number Series	Men	Less than BA	2.97	1.45	30	2.86	1.57	86	2.33	1.48	96	2.27	1.44	120	2.06	1.35	127	1.86	1.42	70	2.31	1.48	529
		BA or higher	4.00	1.07	22	3.65	1.17	111	3.42	1.40	113	3.36	1.22	95	3.10	1.36	167	2.62	1.54	77	3.28	1.36	585
		Total	3.40	1.39	52	3.30	1.41	197	2.92	1.53	209	2.75	1.45	215	2.65	1.45	294	2.26	1.53	147	2.82	1.50	1114
	Women	Less than BA	1.87	1.22	23	2.14	1.52	83	2.02	1.57	99	1.76	1.42	160	1.66	1.30	134	1.52	1.29	110	1.79	1.41	609
		BA or higher	3.09	1.17	32	3.28	1.35	117	3.24	1.41	127	3.00	1.33	103	2.63	1.44	139	2.82	1.31	55	3.01	1.39	573
		Total	2.58	1.33	55	2.81	1.52	200	2.70	1.60	226	2.24	1.51	263	2.15	1.45	273	1.95	1.43	165	2.38	1.53	1182
	Total	Less than BA	2.49	1.45	53	2.51	1.58	169	2.17	1.53	195	1.98	1.45	280	1.85	1.33	261	1.65	1.35	180	2.03	1.47	1138
		BA or higher	3.46	1.21	54	3.46	1.27	228	3.33	1.41	240	3.17	1.29	198	2.89	1.41	306	2.70	1.44	132	3.15	1.38	1158
		Total	2.98	1.41	107	3.06	1.49	397	2.81	1.57	435	2.47	1.50	478	2.41	1.47	567	2.10	1.48	312	2.59	1.53	2296
Backward Counting	Men	Less than BA	42.80	12.25	30	44.45	12.28	86	41.95	12.12	96	37.51	11.00	120	36.42	10.45	127	32.97	9.24	70	38.88	11.73	529
		BA or higher	47.86	9.89	22	50.51	11.41	111	47.65	11.92	113	43.56	11.62	95	39.98	8.71	167	35.38	8.61	77	43.73	11.57	585
		Total	44.94	11.49	52	47.87	12.15	197	45.03	12.32	209	40.18	11.65	215	38.44	9.65	294	34.23	8.96	147	41.43	11.89	1114
	Women	Less than BA	38.48	11.75	23	41.57	11.73	83	37.28	11.83	99	34.83	9.73	160	33.44	7.79	134	30.51	8.31	110	35.20	10.39	609
		BA or higher	46.72	9.13	32	46.51	11.11	117	45.26	10.07	127	40.72	9.18	103	37.66	8.90	139	35.07	7.16	55	41.96	10.40	573
		Total	43.27	11.00	55	44.46	11.60	200	41.77	11.55	226	37.14	9.93	263	35.59	8.62	273	32.03	8.21	165	38.48	10.92	1182
	Total	Less than BA	40.92	12.12	53	43.04	12.06	169	39.58	12.17	195	35.98	10.36	280	34.89	9.28	261	31.47	8.74	180	36.91	11.18	1138
		BA or higher	47.19	9.37	54	48.46	11.41	228	46.38	11.02	240	42.08	10.49	198	38.93	8.86	306	35.25	8.01	132	42.85	11.03	1158
		Total	44.08	11.22	107	46.15	11.98	397	43.33	12.02	435	38.51	10.83	478	37.07	9.27	567	33.07	8.63	312	39.91	11.49	2296

MIDUS Refresher Sample Means and SD's for BTACT Cognitive Tests (continued)

Measure	Sex	Education	Age Decade																				
			20s			30s			40s			50s			60s			70s			Overall		
			M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N
SGST Normal Baseline		Less than BA	0.78	0.23	30	0.85	0.22	86	0.85	0.29	96	0.94	0.23	120	1.05	0.22	127	1.12	0.21	70	0.95	0.26	529
		BA or higher	0.87	0.30	22	0.82	0.22	111	0.84	0.22	113	0.97	0.24	95	1.03	0.28	167	1.08	0.24	77	0.95	0.27	585
		Total	0.82	0.26	52	0.83	0.22	197	0.84	0.26	209	0.95	0.23	215	1.04	0.26	294	1.10	0.23	147	0.95	0.26	1114
	Men	Less than BA	0.85	0.19	23	0.88	0.20	83	0.87	0.25	99	0.96	0.22	160	1.08	0.25	134	1.09	0.29	110	0.98	0.26	609
		BA or higher	0.82	0.23	32	0.81	0.20	117	0.82	0.18	127	0.91	0.23	103	1.03	0.25	139	1.05	0.22	55	0.91	0.24	573
		Total	0.83	0.21	55	0.84	0.20	200	0.84	0.22	226	0.94	0.23	263	1.05	0.25	273	1.08	0.27	165	0.94	0.25	1182
	Women	Less than BA	0.81	0.22	53	0.86	0.21	169	0.86	0.27	195	0.95	0.23	280	1.06	0.24	261	1.10	0.26	180	0.97	0.26	1138
		BA or higher	0.84	0.26	54	0.82	0.21	228	0.83	0.20	240	0.94	0.23	198	1.03	0.27	306	1.07	0.23	132	0.93	0.25	1158
		Total	0.83	0.24	107	0.84	0.21	397	0.84	0.24	435	0.95	0.23	478	1.05	0.25	567	1.09	0.25	312	0.95	0.26	2296
SGST Reverse Baseline		Less than BA	0.92	0.25	30	0.99	0.26	86	0.99	0.33	96	1.09	0.26	120	1.20	0.30	127	1.30	0.29	70	1.10	0.31	529
		BA or higher	0.99	0.33	22	0.94	0.24	111	0.98	0.27	113	1.12	0.27	95	1.16	0.31	167	1.23	0.33	77	1.08	0.30	585
		Total	0.95	0.29	52	0.96	0.25	197	0.99	0.30	209	1.11	0.26	215	1.18	0.31	294	1.26	0.31	147	1.09	0.31	1114
	Men	Less than BA	1.02	0.27	23	1.02	0.26	83	1.04	0.27	99	1.11	0.28	160	1.22	0.27	134	1.24	0.35	110	1.13	0.30	609
		BA or higher	0.89	0.26	32	0.94	0.23	117	0.95	0.22	127	1.04	0.25	103	1.17	0.29	139	1.16	0.23	55	1.03	0.27	573
		Total	0.95	0.27	55	0.97	0.25	200	0.99	0.25	226	1.08	0.27	263	1.19	0.28	273	1.21	0.31	165	1.08	0.29	1182
	Women	Less than BA	0.96	0.26	53	1.01	0.26	169	1.02	0.30	195	1.10	0.27	280	1.21	0.28	261	1.26	0.33	180	1.12	0.30	1138
		BA or higher	0.93	0.29	54	0.94	0.23	228	0.96	0.25	240	1.08	0.26	198	1.17	0.30	306	1.20	0.29	132	1.06	0.29	1158
		Total	0.95	0.28	107	0.97	0.25	397	0.99	0.27	435	1.09	0.27	478	1.19	0.29	567	1.24	0.31	312	1.09	0.30	2296

MIDUS Refresher Sample Means and SD's for BTACT Cognitive Tests (continued)

		Age Decade																					
Measure	Sex	Education	20s			30s			40s			50s			60s			70s			Overall		
			M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N
SGST Baseline All Trials		Less than BA	0.85	0.24	30	0.92	0.23	86	0.92	0.30	96	1.02	0.24	120	1.12	0.25	127	1.21	0.24	70	1.02	0.27	529
		BA or higher	0.93	0.31	22	0.88	0.23	111	0.91	0.24	113	1.05	0.24	95	1.10	0.29	167	1.15	0.28	77	1.01	0.28	585
		Total	0.88	0.27	52	0.90	0.23	197	0.92	0.27	209	1.03	0.24	215	1.11	0.27	294	1.18	0.26	147	1.02	0.28	1114
	Men	Less than BA	0.94	0.22	23	0.95	0.22	83	0.95	0.25	99	1.03	0.24	160	1.15	0.25	134	1.17	0.31	110	1.05	0.27	609
		2 BA or higher	0.86	0.24	32	0.88	0.21	117	0.88	0.19	127	0.97	0.23	103	1.10	0.26	139	1.11	0.21	55	0.97	0.25	573
		Total	0.89	0.23	55	0.91	0.22	200	0.91	0.22	226	1.01	0.24	263	1.12	0.26	273	1.15	0.28	165	1.01	0.26	1182
	Women	Less than BA	0.89	0.23	53	0.93	0.23	169	0.94	0.28	195	1.03	0.24	280	1.14	0.25	261	1.18	0.28	180	1.04	0.27	1138
		BA or higher	0.89	0.27	54	0.88	0.22	228	0.90	0.22	240	1.01	0.24	198	1.10	0.28	306	1.14	0.25	132	0.99	0.27	1158
		Total	0.89	0.25	107	0.90	0.22	397	0.91	0.25	435	1.02	0.24	478	1.12	0.27	567	1.16	0.27	312	1.02	0.27	2296
SGST Experimental Switch		Less than BA	1.18	0.37	30	1.18	0.28	86	1.20	0.43	96	1.33	0.40	120	1.43	0.37	127	1.48	0.34	70	1.32	0.39	529
		2 BA or higher	1.23	0.40	22	1.10	0.25	111	1.16	0.29	113	1.30	0.31	95	1.37	0.37	167	1.42	0.33	77	1.27	0.34	585
		Total	1.20	0.38	52	1.14	0.27	197	1.18	0.36	209	1.32	0.36	215	1.40	0.37	294	1.45	0.33	147	1.29	0.36	1114
	Men	Less than BA	1.26	0.35	23	1.25	0.29	83	1.33	0.37	99	1.42	0.40	160	1.48	0.35	134	1.56	0.46	110	1.41	0.39	609
		BA or higher	1.21	0.42	32	1.13	0.29	117	1.12	0.22	127	1.31	0.32	103	1.41	0.37	139	1.45	0.28	55	1.26	0.34	573
		Total	1.23	0.39	55	1.18	0.29	200	1.21	0.31	226	1.37	0.37	263	1.44	0.37	273	1.52	0.41	165	1.34	0.37	1182
	Women	Less than BA	1.21	0.36	53	1.22	0.29	169	1.26	0.40	195	1.38	0.40	280	1.46	0.36	261	1.53	0.42	180	1.37	0.39	1138
		BA or higher	1.22	0.41	54	1.12	0.27	228	1.14	0.25	240	1.30	0.31	198	1.39	0.37	306	1.44	0.31	132	1.27	0.34	1158
		Total	1.21	0.38	107	1.16	0.28	397	1.20	0.33	435	1.35	0.37	478	1.42	0.37	567	1.49	0.38	312	1.32	0.37	2296

MIDUS Refresher Sample Means and SD's for BTACT Cognitive Tests (continued)

		Age Decade																					
		20s			30s			40s			50s			60s			70s			Overall			
Measure	Sex	Education	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N
SGST Experimental Non-Swtich		Less than BA	0.93	0.27	30	1.02	0.25	86	1.02	0.32	96	1.11	0.27	120	1.20	0.26	127	1.31	0.29	70	1.12	0.30	529
		BA or higher	1.02	0.33	22	0.98	0.25	111	1.00	0.24	113	1.12	0.26	95	1.19	0.32	167	1.24	0.29	77	1.10	0.29	585
		Total	0.97	0.30	52	1.00	0.25	197	1.01	0.27	209	1.11	0.27	215	1.19	0.29	294	1.27	0.29	147	1.11	0.29	1114
	Men	Less than BA	1.02	0.26	23	1.04	0.21	83	1.06	0.26	99	1.17	0.39	160	1.25	0.28	134	1.28	0.36	110	1.17	0.33	609
		BA or higher	0.95	0.30	32	0.95	0.22	117	0.96	0.20	127	1.08	0.25	103	1.18	0.28	139	1.21	0.26	55	1.06	0.27	573
		Total	0.98	0.28	55	0.99	0.22	200	1.00	0.24	226	1.14	0.34	263	1.22	0.28	273	1.26	0.33	165	1.11	0.31	1182
	Women	Less than BA	0.97	0.27	53	1.03	0.23	169	1.04	0.29	195	1.15	0.34	280	1.23	0.27	261	1.29	0.33	180	1.14	0.31	1138
		BA or higher	0.98	0.31	54	0.96	0.24	228	0.98	0.22	240	1.10	0.25	198	1.19	0.30	306	1.23	0.28	132	1.08	0.28	1158
		Total	0.97	0.29	107	0.99	0.23	397	1.00	0.26	435	1.13	0.31	478	1.20	0.29	567	1.26	0.31	312	1.11	0.30	2296
SGST Mixed Task All Trials		Less than BA	1.05	0.30	30	1.10	0.25	86	1.11	0.35	96	1.22	0.32	120	1.31	0.30	127	1.39	0.29	70	1.22	0.32	529
		BA or higher	1.13	0.36	22	1.04	0.24	111	1.08	0.25	113	1.21	0.27	95	1.28	0.33	167	1.33	0.30	77	1.19	0.31	585
		Total	1.08	0.33	52	1.07	0.25	197	1.09	0.30	209	1.22	0.30	215	1.29	0.32	294	1.36	0.29	147	1.20	0.32	1114
	Men	Less than BA	1.14	0.29	23	1.14	0.24	83	1.19	0.30	99	1.29	0.36	160	1.37	0.30	134	1.42	0.39	110	1.29	0.34	609
		BA or higher	1.08	0.34	32	1.04	0.24	117	1.04	0.20	127	1.19	0.27	103	1.29	0.32	139	1.33	0.26	55	1.16	0.29	573
		Total	1.10	0.32	55	1.08	0.24	200	1.11	0.26	226	1.25	0.33	263	1.33	0.31	273	1.39	0.36	165	1.23	0.32	1182
	Women	Less than BA	1.09	0.30	53	1.12	0.25	169	1.15	0.33	195	1.26	0.35	280	1.34	0.30	261	1.41	0.36	180	1.26	0.33	1138
		BA or higher	1.10	0.35	54	1.04	0.24	228	1.06	0.23	240	1.20	0.27	198	1.29	0.32	306	1.33	0.28	132	1.17	0.30	1158
		Total	1.09	0.32	107	1.07	0.25	397	1.10	0.28	435	1.24	0.32	478	1.31	0.31	567	1.38	0.33	312	1.21	0.32	2296

MIDUS Refresher Sample Means and SD's for BTACT Cognitive Tests (continued)

			Age Decade																				
			20s			30s			40s			50s			60s			70s			Overall		
Measure	Sex	Education	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N
Episodic Memory Factors	Men	Less than BA	-.19	.80	32	-.03	.86	94	-.24	.84	103	-.62	.84	130	-.48	.87	139	-1.07	.72	89	-.47	.89	587
		BA or higher	.30	.85	24	.28	.81	126	.22	.84	122	-.03	.87	100	-.36	.80	173	-.47	.89	83	-.06	.89	628
		Total	.02	.85	56	.15	.84	220	.01	.87	225	-.37	.90	230	-.42	.84	312	-.78	.86	172	-.26	.91	1215
	Women	Less than BA	.32	.88	27	.23	1.11	99	.14	.97	116	.08	.99	182	.01	.95	153	-.36	.90	125	.03	.99	702
		BA or higher	.60	1.07	36	.61	.98	123	.60	.97	137	.43	.96	113	.33	1.02	149	.38	1.01	59	.49	1.00	617
		Total	.48	1.00	63	.44	1.06	222	.39	1.00	253	.22	.99	295	.17	1.00	302	-.12	1.00	184	.24	1.02	1319
	Total	Less than BA	.04	.87	59	.10	1.00	193	-.04	.93	219	-.21	.99	312	-.23	.94	292	-.66	.90	214	-.20	.98	1289
		BA or higher	.48	.99	60	.44	.91	249	.42	.93	259	.22	.95	213	-.04	.97	322	-.12	1.03	142	.21	.98	1245
		Total	.26	.96	119	.29	.97	442	.21	.96	478	-.04	.99	525	-.13	.96	614	-.44	.99	356	.00	1.00	2534
Executive Functioning Factors	Men	Less than BA	.36	.83	32	.27	.95	94	-.01	1.04	103	-.37	.93	130	-.41	.86	139	-.85	.91	89	-.25	1.00	587
		BA or higher	.92	.87	24	.99	.74	126	.73	.83	122	.36	.87	100	.13	.81	173	-.32	.77	83	.43	.92	628
		Total	.60	.89	56	.69	.91	220	.39	1.00	225	-.05	.98	230	-.11	.87	312	-.59	.88	172	.10	1.01	1215
	Women	Less than BA	-.17	.79	27	.04	.89	99	-.32	1.04	116	-.48	.87	182	-.64	.75	153	-.92	.81	125	-.48	.91	702
		BA or higher	.54	.79	36	.73	.75	123	.69	.82	137	.27	.83	113	-.02	.77	149	-.14	.69	59	.36	.85	617
		Total	.24	.86	63	.42	.88	222	.22	1.05	253	-.19	.93	295	-.33	.82	302	-.67	.85	184	-.09	.98	1319
	Total	Less than BA	.12	.85	59	.15	.92	193	-.17	1.05	219	-.43	.90	312	-.53	.81	292	-.89	.85	214	-.37	.96	1289
		BA or higher	.69	.84	60	.86	.76	249	.71	.82	259	.31	.85	213	.06	.79	322	-.25	.74	142	.39	.88	1245
		Total	.41	.89	119	.55	.91	442	.30	1.03	478	-.13	.95	525	-.22	.85	614	-.63	.87	356	.00	1.00	2534

MIDUS Refresher Sample Means and SD's for BTACT Cognitive Tests (continued)

Measure	Sex	Education	Age Decade																				
			20s			30s			40s			50s			60s			70s			Overall		
			M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N	M	SD	N
BTACT Composite Score	Men	Less than BA	.12	.90	32	.18	.98	88	-.16	.95	99	-.51	.87	122	-.50	.90	130	-1.00	.85	78	-.37	.98	549
		BA or higher	.90	.95	23	.93	.81	116	.63	.84	118	.30	.90	98	.04	.80	168	-.37	.80	80	.35	.93	603
		Total	.45	.99	55	.61	.96	204	.27	.97	217	-.15	.97	220	-.19	.88	298	-.68	.88	158	.01	1.02	1152
	Women	Less than BA	-.28	.78	23	.04	.96	88	-.23	.95	105	-.41	.86	171	-.54	.82	139	-.81	.80	114	-.41	.90	640
		BA or higher	.65	.79	34	.74	.83	121	.67	.88	131	.37	.86	109	.14	.80	142	.04	.74	56	.44	.87	593
		Total	.28	.90	57	.44	.95	209	.27	1.01	236	-.11	.94	280	-.20	.88	281	-.53	.88	170	.00	.98	1233
	Total	Less than BA	-.04	.87	55	.11	.97	176	-.20	.95	204	-.46	.86	293	-.52	.85	269	-.89	.82	192	-.39	.94	1189
		BA or higher	.75	.86	57	.83	.82	237	.65	.86	249	.33	.88	207	.08	.80	310	-.20	.80	136	.39	.90	1196
		Total	.36	.95	112	.52	.96	413	.27	.99	453	-.13	.95	500	-.20	.88	579	-.60	.88	328	.00	1.00	2385